Precautions for use

Foreward

Thank you for purchasing.

Instructions

- · Please read this product manual carefully.
- · Keep this product manual. Always include this product manual when passina the products on to third parties.
- · Heed all warnings and follow all instructions in this product manual,

AWARNING

Please charge it when you use it for the first time or when you do not use it again for a long time.

- · Use only a microfiber and dry cloth for cleaning the product.
- · Operate carefully to not cause any damage by dropping or physical shocking it.
- · Do not leave the product in excessive heat, high temperatures can cause the product to malfunction. Please have the product checked by the authorized service or agent if your product has some problems.
- Please note that this warranty does not apply to repair arising out of the malfunction of unauthorized disassembly, although you may request such repairs on a chargeable basis.
- Use of original cable accessories is recommended. Please note that this warranty does not apply to repairs arising out of the malfunction of non-original accesso-
- ries, although you may request such repairs on a chargeable basis.
- The product is certificated by RoHS and CE. Please operate the product in full compliance with the operation standards. Please note that this warranty does not apply to repair arising from malfunction, although you may request such repairs on a chargeable basis.

The instructions and information in this manual are based on thorough, controlled company testing procedures. Further notice will not be given if the design and specifications change.


Applicable Conditions

- * The user has read this manual carefully.
- * The user is using the products with in operating conditions and limitations as described in manual.
- * "Improper use" means using the products in conditions and limitations thatundescribed in manual.

Product specification


LED Video Light			
Color temperature	2400K-6400K	High brightness	350lm
Color rendering	>90	Charging specifications	DC 5V/2A
Working huors	100% brightness>3h	Dimming range	5% - 100%
Illuminance	nce distance 0.3m 0.5m 1m brightness 1500lux 500lux 150lux		
Screen	0.96" oled screen	Battery capacity	3100mah
Maximum power	8W	Shell material	ABS+PC
Lamp beads	180pcs	Working environment	0-40 °C
Fixed interface Cold shoe interface*2, 1/4" Nut interface*2			
Storage environment	-20 °C -60 °C	Charging port	Type-c interface
Colour	Black/White	Product size	128*72*18mm
Weight	144g		

Function and display



- Cold shoe interface
- 3 Switch
- 5 Adjust brightness
- 7 Cold shoe interface
- 9 OLED screen

- 2 Adjust color temperature
- 4 Type-c interface
- 6 1/4" Nut interface
- 8 1/4" Nut interface



LED Video Light

Packing list





0.79in/(2cm)

Installation steps

Method 1



① The 1/4" Ball Head mounted on the bracket, and the rotational tightening.



2 Install the LED light on the bracket and rotate it tightly.



3 Align the bracket with the lamp, and turn the fixing konb on the 1/4" Ball Head to tighten.



4 Loosen the screws on the bracket,




5 Install the assembled lamp on the computer and turn the screw to tighten it.



(6) Complete assembly,

Method 2



① Install the 1/4" Ball Head on the



2 Install the tripod on the 1/4" Ball Head interface at the bottom of the hot shoe nut rotating table,



3 Complete assembly.